

PRECAUTIONARY STATEMENTS

CAUTION: Harmful if swallowed. Causes moderate eye and skin irritation. Avoid contact with

- chemical resistant gloves made of barrier laminate, viton, neoprene rubber or nitrile rubber

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for

washables exist, use detergent and hot water. Keep and wash PPE separately from other

Discard clothing and other absorbent material that have been drenched or heavily contami-

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the

Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly

Users should remove PPE immediately after handling this product. Wash the outside of gloves

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To

protect the environment, do not allow pesticide to enter or run off into storm drains, drainage

ditches, gutters or surface waters. Applying this product in calm weather when rain is not

predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash

pesticide off the treatment area. Rinsing application equipment over the treated area will help

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds.

Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively

before removing. As soon as possible, wash thoroughly and change into clean clothing

- chemical-resistant apron for mixers, loaders, persons cleaning equipment and persons

skin, eyes or clothing.

- shoes plus socks

Personal Protective Equipment (PPE)

- long-sleeve shirt and long pants

USER SAFETY RECOMMENDATIONS

and put on clean clothing.

visiting the treatment area.

Mixers, loaders, applicators, and other handlers must wear:

nated with the product's concentrate. Do not reuse them.

avoid run off to water bodies or drainage systems.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-222-1222, twenty-four (24) hours per day, seven (7) days per week.

	If swallowed:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
	If in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
	If on skin or clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Storage: Keep in a cool, dry area preferably locked and away from children and pets. Do not store below 32°F (0°C). In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Non-refillable container. Do not reuse or refill this container. Clear container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling if available, or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill or by other procedures as approved by state and local authorities.



MANUFACTURED EXCLUSIVELY FOR PYRANHA, INC.

6602 Cunningham Road, Houston, TX 77041 832-467-3840 800-231-2966 EPA Reg. No. 21165-32 EPA Est. No. 44446-TX-1 Rev.: 04.26.13



Family Owned

General Precautions & Use Restrictions Apply this product only as specified on this label.

a manner inconsistent with its labeling.

DIRECTIONS FOR USE

For surface spray use, do not enter or allow others to INDOOR SPACE SPRAYS residential misting system, do not enter or allow others repel listed insects. to enter until vapors, mists and aerosols have dispersed and the treated area has been thoroughly ventilated.

Application Restrictions: Do not apply using a high pressure hand-wand, hand Apply as a space spray using an automatic spray system. held fogger or fog/mist generator in indoor spaces. Refer to the system user manual for specific instructions. Except when applying the product with an outdoor Adjust spray nozzles to deliver a fine mist or fog to entire If the system works on an automatic timer, set the timing way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application. When applying as a space When using this product, installers and service technicians If the system works when a person operates a remote immediately and remain outside the treated area until requirements of the state(s), tribe(s) or local authority(ies) people, pets and food are present is prohibited. aerosols, vapors and/or mists have dispersed. When where they are installed. used in dairy barns or facilities: Close milk bulk lids to prevent contamination from spray and from dead or application. Wash teats of animals before milking. When applying via automatic timer, set the timing for application areas. falling insects. Remove or cover milking utensils before using outdoors, do not make applications during rain. Do not wet plants to the point of runoff or drip. Remove or Direct nozzles to spray towards the target area and away cover exposed food and drinking water before from areas where people are typically present. application. Remove or cover dishes, utensils, food processing equipment and food preparation surfaces or Do not use in an evaporative cooling system. wash them before use. Do not water the treated area to

Do not use in misters located within 3 feet of air vents, air the point of run-off. Not for broadcast use on indoor residential surfaces. Not for use in metered release

during or after application. except for outdoor fogging/ misting devices: All outdoor applications must be limited to spot or water. crack-and-crevice treatments only, except for the following permitted uses:

- Treatment to soil or vegetation around structures: - Applications to lawns, turf and other vegetation; Other than applications to building foundations, all to spot and crack-and-crevice applications only.

Dilution/Use Rate (Indoor Space and Outdoor Sprays): OUTDOOR SPRAYS -It is a violation of Federal law to use this product in Dilute before using. Add 1 part of this product to 21 parts Where to Use: Use as an outdoor area spray for temporary

Directions for use in commercial animal premise

automatic misting systems:

product per 1000 cubic feet of area.

water (3.0 ounces of product per gallon of water). Mix Directions For Use in Outdoor Residential Misting Systems: thoroughly prior to application.

enter until sprays have dried. For space spray use, Where to Use: Use as an indoor space spray in horse Apply as an area spray using an automatic spray system. except when applying the product with an outdoor barns, dog kennels and zoo animal quarters to kill and Adjust nozzles to deliver a fine mist to the entire treatment

> When using this product, installers and service technicians must comply with the license, certification, or registration requirements of the state(s), tribe(s), or local authority(ies) where they are installed.

residential misting system, do not apply this product in a treatment area at a maximum rate of 1.5 fluid ounce diluted for application when people, pets and food are unlikely to

spray indoors, do not remain in treated area. Exit area must comply with the license, certification or registration activation device, then application of this pesticide when

Do not use in an evaporative cooling system. When applying via a remote activation device, do not apply Direct nozzles to spray towards the target area and away when people and pets are present. If possible, when

when people and pets are unlikely to be present.

conditioner units or windows.

systems. Application is prohibited directly into sewers or If used in a system with a reservoir tank for the end use drains or to any area like a gutter where drainage to dilution, the system reservoir tank must be locked. sewers, storm drains, water bodies or aquatic habitat Securely attach the end use pesticide label and a dilution If used in a direct injection system, the pesticide container can occur. Do not allow product to enter any drain statement to the system reservoir tank in a weather must be locked. Securely attach the end use label to the For Residential outdoor surface and space sprays, must be phrased as follows: this container holds ___ parts sleeve. Pyranha Space Spray 1-10 HP Concentrate to ___ parts Contact the system manufacturer for guidance or

> If used in a direct injection system, the pesticide container must be locked. Securely attach the end use label to the maximum application rate of 0.00011 lbs pyrethins,

outdoor applications to impervious surfaces such as This product must only be used in systems that have been sidewalks, driveways, patios, porches and structural calibrated to apply no more than the maximum application Directions For Use With Handheld Sprayers: surfaces (such as windows, doors and eaves) are limited rate of 0.000476 lbs pyrethrins and 0.008 lbs piperonyl When used in handheld sprayers, apply the diluted butoxide per 1000 cu. ft. per day. This is equivalent to 29 product (1 part concentrate to 21 parts water) at a rate of 6 ounces of diluted product per 1000 cubic feet per day.

of clean water (6.1 ounces of product per gallon of water). reduction of listed insects on and around homes, patios, For maintenance, add 1 part product to 43 parts clean tennis courts, pool areas, beach houses and lawn areas.

> NOTE: Not registered for use in Residential Automatic Mosquito Misting Systems in the State of New York.

> area at a maximum rate of 1.5 ounces diluted product per 1,000 cubic feet of area.

from swimming pools, water bodies or eating and cooking

Do not set nozzles to direct mist near outside air conditioning systems or other home air intakes.

If used in a system with a reservoir tank for the end use dilution, the system reservoir tank must be locked. Securely attach the end use pesticide label and a dilution statement to the system reservoir tank in a weather protected area or plastic sleeve. The dilution statement must be phrased as follows: this container holds parts Pyranha Space Spray 1-10 HP Concentrate to _ parts

protected area or plastic sleeve. The dilution statement pesticide container in a weather protected area or plastic

assistance to ensure compliance with the following requirement: This product must only be used in systems that have been calibrated to apply no more than the pesticide container in a weather protected area or plastic 0.00058 lbs piperonyl butoxide and 0.25 grams of Permethrin per 1000 cubic feet per day. This represents 3.6 ounces of diluted product per 1000 cubic feet per day.

to 12 fl. oz. per 1,000 sq. ft. of area. Use only equipment that produces coarse, non-ULV sprays for residual

treatment of vegetation or other surfaces.

Max Copy Length

Overall Length of Sleeve

